



Safety Data Sheet according to WHS Regulations

Printing date 23.05.2019 Revision: 23.05.2019

1 Identification

Product Name: 004 FILTRITE BLACKSPOT

Recommended Use of the Chemical and Restriction on Use: Bleach or sanitising chemical

Details of Manufacturer or Importer:

Clark Rubber 254 Canterbury Road Bayswater VIC 3153

Phone Number: +61 3 8727 9999


Emergency telephone number: +61 3 8727 9999

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



Oxidising Solids 2 H272 May intensify fire; oxidiser.



Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Toxicity (Oral) 4 H302 Harmful if swallowed.
Acute Toxicity (Inhalation) 4 H332 Harmful if inhaled.
Skin Corrosion/Irritation 2 H315 Causes skin irritation.

Serious Eye Damage/Irritation 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation.

Signal Word Danger

Hazard Statements

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P210 Keep away from heat. - No smoking.

P220 Keep/Store away from clothing/combustible materials.
P221 Take any precaution to avoid mixing with combustibles.

(Contd. on page 2)

according to WHS Regulations

Printing date 23.05.2019 Revision: 23.05.2019

Product Name: 004 FILTRITE BLACKSPOT

(Contd. of page 1)

	(. 13-
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
P264	Wash hands thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P271	Use only outdoors or in a well-ventilated area.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.	
P330	Rinse mouth.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P321	Specific treatment (see on this label).	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses	s, if
	present and easy to do. Continue rinsing.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P370+P378	In case of fire: Use to extinguish: CO2, powder or water spray.	
P391	Collect spillage.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/national regulations.	_
	·	

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 87-90-1 Trichloro-1,3,5-triazinetrione

100%

Oxidising Liquids 2, H272; Oxidising Solids 2, H272; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Toxicity (Oral) 4, H302; Acute Toxicity (Inhalation) 4, H332; Skin Corrosion/Irritation 2, H315; Serious Eye Damage/Irritation 2A, H319; STOT SE 3, H335

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eve Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Do not give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: Harmful if inhaled. May cause respiratory irritation. Chlorine, evolved from decomposition when wet, is a severe respiratory irritant, corrosive, and highly toxic. Delayed effects can include shortness of breath, headache, pulmonary oedema, and pneumonia.

Skin Contact: Causes skin irritation. May cause burns if product is mixed with water.

Eye Contact: Causes serious eye irritation. Contamination of eyes can result in permanent injury.

(Contd. on page 3)

according to WHS Regulations

Printing date 23.05.2019 Revision: 23.05.2019

Product Name: 004 FILTRITE BLACKSPOT

(Contd. of page 2)

Ingestion: Harmful if swallowed. Ingestion can cause nausea, vomiting, diarrhoea, abdominal pain, convulsions and chemical burns.

5 Fire Fighting Measures

Suitable Extinguishing Media:

Water spray (flooding quantities). Do not use dry chemical extinguishers containing ammonia compounds.

Specific Hazards Arising from the Chemical:

Material decomposes on contact with acid or water evolving toxic chlorine gas.

May intensify fire; oxidiser. May support the combustion of other materials like wood, paper or clothing. May react explosively with hydrocarbons (fuels). Containers may explode when heated. Runoff may create fire or explosion hazard. Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so. Vacuum or sweep up spill and place in suitable containers for reuse or disposal. Avoid generating dust.

Do not add water to spilt product. Do not store spilt product in a metal container.

Add sodium sulphite (3.5 kg/kg product) to neutralize spill. If no active chlorine remains, add soda ash (2.0 kg/kg product) to complete neutralisation.

7 Handling and Storage

Precautions for Safe Handling:

May intensify fire; oxidiser.

Contact with acids liberates toxic chlorine gas.

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area and out of direct sunlight. Keep container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition. Keep away from water, acids, bases and calcium hypochlorite.

Material decomposes on contact with acids or water evolving toxic chlorine gas.

8 Exposure Controls and Personal Protection

Exposure Standards:

CAS: 7782-50-5 Chlorine

NES Peak limitation: 3 mg/m³, 1 ppm

(Contd. on page 4)

according to WHS Regulations

Printing date 23.05.2019 Revision: 23.05.2019

Product Name: 004 FILTRITE BLACKSPOT

(Contd. of page 3)

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapour below occupational exposure standards.

Respiratory Protection:

Use an approved respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

PVC, PVA, nitrile, neoprene, rubber or vinyl gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing. See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Solid - tablets
Colour: White

Odour: Chlorine odour Odour Threshold: Not determined.

pH-Value at 20 °C: 2.8

Melting point/freezing point:No information available **Initial Boiling Point/Boiling Range:**No information available

Flash Point: Not applicable

Flammability: Contact with combustible material may cause fire.

Auto-ignition Temperature: No information available

Decomposition Temperature: 225 °C

Explosion Limits:

Lower:
Upper:
Vapour Pressure:
Density at 20 °C:
Vapour Density:
Evaporation Rate:
Solubility in Water:

Not applicable
Not applicable.
Not applicable.
Soluble in water

Partition Coefficient (n-octanol/water): No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions:

May intensify fire; oxidiser.

Contact with acids liberates toxic chlorine gas.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Heat, sparks, open flames and other sources of ignition.

(Contd. on page 5)

according to WHS Regulations

Product Name: 004 FILTRITE BLACKSPOT

(Contd. of page 4)

Revision: 23.05.2019

Incompatible Materials: Water, acids, bases and calcium hypochlorite.

Hazardous Decomposition Products:

Decomposes on contact with acid or water evolving toxic chlorine gas.

11 Toxicological Information

Toxicity:

Printing date 23.05.2019

LD₅₀/LC₅₀ Values Relevant for Classification:

CAS: 87-90-1 Trichloro-1,3,5-triazinetrione

Oral LD₅₀ 406 mg/kg (rat)

Acute Health Effects

Inhalation:

Harmful if inhaled. May cause respiratory irritation. Chlorine, evolved from decomposition when wet, is a severe respiratory irritant, corrosive, and highly toxic. Delayed effects can include shortness of breath, headache, pulmonary oedema, and pneumonia.

Skin: Causes skin irritation. May cause burns if product is mixed with water.

Eye: Causes serious eye irritation. Contamination of eyes can result in permanent injury.

Ingestion:

Harmful if swallowed. Ingestion can cause nausea, vomiting, diarrhoea, abdominal pain, convulsions and chemical burns.

Skin Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure: May cause respiratory irritation.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No information available

Existing Conditions Aggravated by Exposure: Asthma and other respiratory disorders and heart disease.

Additional toxicological information: No information available

12 Ecological Information

Ecotoxicity: No information available

Aquatic toxicity: Very Toxic to aquatic life with long lasting effects.

Persistence and Degradability: No further relevant information available.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available.

Other adverse effects: No further relevant information available.

(Contd. on page 6)

according to WHS Regulations

Printing date 23.05.2019 Revision: 23.05.2019

Product Name: 004 FILTRITE BLACKSPOT

(Contd. of page 5)

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number

ADG, IMDG, IATA UN2468

Proper Shipping Name

ADG, IMDG, IATA TRICHLOROISOCYANURIC ACID, DRY

Dangerous Goods Class

ADG Class: 5.1 Oxidising substances.

Packing Group:

ADG, IMDG, IATA

Marine pollutant: Yes

EMS Number: F-A,S-Q

Hazchem Code: 1W
Limited Quantities: 1 kg

Packagings & IBCs - Packing Instruction: P002, IBC08

Packagings & IBCs - Special Packing Provisions: B2, B4

Portable Tanks & Bulk Containers - Instructions: T3

Portable Tanks & Bulk Containers - Special

Provisions: TP33

15 Regulatory Information

Australian Inventory of Chemical Substances:

CAS: 87-90-1 Trichloro-1,3,5-triazinetrione

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

16 Other Information

Date of Preparation or Last Revision: 23.05.2019

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

 LC_{50} : Lethal concentration, 50 percent

LD₅o: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

(Contd. on page 7)

Safety Data Sheet according to WHS Regulations

Printing date 23.05.2019 Revision: 23.05.2019

Product Name: 004 FILTRITE BLACKSPOT

(Contd. of page 6)

Oxidising Liquids 2: Oxidising liquids, Hazard Category 2
Oxidising Solids 2: Oxidising solids, Hazard Category 2
Acute Toxicity (Oral) 4: Acute toxicity – Category 4
Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2
Serious Eye Damage/Irritation 2A: Serious eye damage/eye irritation – Category 2A
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this material safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Clark Rubber makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.