

according to WHS Regulations

Revision: 17.05.2019

Page 1/6

## 1 Identification

## Product Name: FILTRITE ULTRA SHOCK PLUS

Recommended Use of the Chemical and Restriction on Use: Swimming pool sanitiser.

**Details of Manufacturer or Importer:** Clark Rubber 254 Canterbury Road Bayswater VIC 3153

Phone Number: +61 3 8727 9999

Emergency telephone number: +61 3 8727 9999

## 2 Hazard(s) Identification

#### Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



environment

Aquatic Acute 1 H400 Very toxic to aquatic life. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Toxicity (Oral) 4	H302	Harmful if swallowed.
Acute Toxicity (Inhalation) 4	H332	Harmful if inhaled.
Skin Corrosion/Irritation 2	H315	Causes skin irritation.
Serious Eye Damage/Irritation 2A	H319	Causes serious eye irritation.
STOT SE 3	H335	May cause respiratory irritation.

Signal Word Warning

#### **Hazard Statements**

H302 Harmful if swallowed. H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H410 Very toxic to aquatic life with long lasting effects.

#### Precautionary Statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves / eye protection / face protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P330	Rinse mouth.
P302+P352	IF ON SKIN: Wash with plenty of water.
P321	Specific treatment (see on this label).

Page 2/6

## Safety Data Sheet according to WHS Regulations

Printing date 17.05.2019

Revision: 17.05.2019

## Product Name: FILTRITE ULTRA SHOCK PLUS

(Contd. of page 1)

P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if		
	present and easy to do. Continue rinsing.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P391	Collect spillage.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/national regulations.	
Additional Information AUH031 Contact with acids liberates toxic gas.		

## 3 Composition and Information on Ingredients

#### **Chemical Characterization: Mixtures**

Description: Mixture of substances listed below with nonhazardous additions.

#### Hazardous Components:

Aquatic Acuto 1, H400: Aquatic Chronic 1, H410: (A Acuto Toxicity (Oral) 4	CA	CAS: 51580-86-0 So	odium dichloroisocyanurate, dihydrate	30-60%
H302; Acute Toxicity (Inhalation) 4, H332; Skin Corrosion/Irritation 2, H315; Serious Eye Damage/Irritation 2A, H319; STOT SE 3, H335		H		

## 4 First Aid Measures

#### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek immediate medical attention.

#### Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if swelling, redness, blistering or irritation occurs.

#### Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Seek medical attention if symptoms occur.

#### Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Do not give anything by mouth to an unconscious person. Seek immediate medical attention.

#### Symptoms Caused by Exposure:

Inhalation: Harmful if inhaled. May cause respiratory irritation. Chlorine, evolved from decomposition when wet, is a severe respiratory irritant, corrosive, and highly toxic. Delayed effects can include shortness of breath, headache, pulmonary oedema, and pneumonia.

Skin Contact: Causes skin irritation.

Eye Contact: Causes serious eye irritation. May cause permanent injury.

Ingestion: Harmful if swallowed. Swallowing can cause nausea, vomiting, diarrhoea, abdominal pain and chemical burns to the gastrointestinal tract.

## 5 Fire Fighting Measures

Suitable Extinguishing Media: Water spray or water fog in large quantities.

#### Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxygen and chlorine. Contact with acids liberates toxic gas.

This product is not flammable but may support combustion of other materials.

Closed containers may explode when exposed to extreme heat. Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Page 3/6

# Safety Data Sheet

according to WHS Regulations

Printing date 17.05.2019

## Product Name: FILTRITE ULTRA SHOCK PLUS

(Contd. of page 2)

Revision: 17.05.2019

#### Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

#### 6 Accidental Release Measures

#### Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

#### **Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

#### Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so. Vacuum or sweep up spill and place in suitable containers for reuse or disposal. Avoid generating dust.

Do not add water to the product. To neutralise the product add sodium sulphite (2.4 kg/kg of product). When no active chlorine remains complete neutralisation by adding soda ash (1.1 kg/kg of product).

#### 7 Handling and Storage

#### Precautions for Safe Handling:

Contact with acids liberates toxic gas.

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Avoid dust formation.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

#### Conditions for Safe Storage:

Store in a cool, dry, well ventilated place and out of direct sunlight. Keep containers closed when not in use. Do not store in metal containers as material is corrosive to most metals. Keep away from acids and metals.

## 8 Exposure Controls and Personal Protection

#### **Exposure Standards:**

#### CAS: 7782-50-5 Chlorine

NES Peak limitation: 3 mg/m<sup>3</sup>, 1 ppm

WES Peak limitation: 3 mg/m<sup>3</sup>, 1 ppm

Engineering Controls: Ensure adequate ventilation of the working area.

#### **Respiratory Protection:**

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

#### Skin Protection:

PVC, PVA, nitrile, neoprene, rubber or vinyl gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

(Contd. on page 4)

according to WHS Regulations

Printing date 17.05.2019

## Product Name: FILTRITE ULTRA SHOCK PLUS

## Eye and Face Protection:

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

## **9** Physical and Chemical Properties

Appearance:	
Form:	Crystalline granular
Colour:	White
Odour:	Slight chlorine odour
Odour Threshold:	No information available
pH-Value:	6.5 (1% solution)
Melting point/freezing point:	240 °C
Initial Boiling Point/Boiling Range:	Not applicable
Flash Point:	Not applicable
Flammability:	Product is not flammable.
Auto-ignition Temperature:	Not applicable
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	Not applicable
Upper:	Not applicable
Vapour Pressure:	Not applicable
Density:	Not determined.
Relative Density:	2.03
Vapour Density:	Not applicable
Evaporation Rate:	No information available
Solubility in Water:	Soluble in water
Partition Coefficient (n-octanol/water):	
Viscosity:	No information available

## 10 Stability and Reactivity

## Possibility of Hazardous Reactions:

Hazardous polymerisation will not occur. Contact with acids liberates toxic gas.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Heat and moisture.

Incompatible Materials: Acids and metals.

Hazardous Decomposition Products: Chlorine gas and oxygen.

## 11 Toxicological Information

Toxicity:

LD<sub>50</sub>/LC<sub>50</sub> Values Relevant for Classification:

CAS: 51580-86-0 Sodium dichloroisocyanurate, dihydrate

Oral LD₅₀ 1400 mg/kg (rat)

## Acute Health Effects

## Inhalation:

Harmful if inhaled. May cause respiratory irritation. Chlorine, evolved from decomposition when wet, is a severe respiratory irritant, corrosive, and highly toxic. Delayed effects can include shortness of breath, headache, pulmonary oedema, and pneumonia.

Page 4/6

Revision: 17.05.2019

(Contd. of page 3)

according to WHS Regulations

Printing date 17.05.2019

## Product Name: FILTRITE ULTRA SHOCK PLUS

Skin: Causes skin irritation. Eye: Causes serious eye irritation. May cause permanent injury. Indestion: Harmful if swallowed. Swallowing can cause nausea, vomiting, diarrhoea, abdominal pain and chemical burns to the gastrointestinal tract.

Skin Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure: May cause respiratory irritation.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No information available

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information: No information available

## 12 Ecological Information

Ecotoxicity: No information available

Aquatic toxicity: Very Toxic to aquatic life with long lasting effects.

Persistence and Degradability: No further relevant information available.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available.

Other adverse effects: No further relevant information available.

## 13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

**Special Precautions for Landfill or Incineration:** 

Please consult your state Land Waste Management Authority for more information.

#### 14 Transport Information

**UN Number** ADG, IMDG, IATA

**Proper Shipping Name** ADG, IMDG, IATA

## UN3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains sodium dichloroisocyanurate, dehydrate)

**Dangerous Goods Class** ADG Class:

9 Miscellaneous dangerous substances and articles. (Contd. on page 6)

Page 5/6

Revision: 17.05.2019

(Contd. of page 4)

according to WHS Regulations

Printing date 17.05.2019

## Product Name: FILTRITE ULTRA SHOCK PLUS

Revision: 17.05.2019

(Contd. of page 5)

Page 6/6

Packing Group: ADG, IMDG, IATA	111
EMS Number:	F-A,S-F
Hazchem Code:	2Z
Special Provisions:	274, 331, 335, 375, AU01
Limited Quantities:	5 kg
Packagings & IBCs - Packing Instruction:	P002, IBC08, LP02
Packagings & IBCs - Special Packing Provisions:	PP12, B3
Portable Tanks & Bulk Containers - Instructions:	T1, BK2, BK3
Portable Tanks & Bulk Containers - Special Provisions:	TP33

## 15 Regulatory Information

Australian Inventory of Chemical Substances:

CAS: 51580-86-0 Sodium dichloroisocyanurate, dihydrate

**Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:** Poisons Schedule: 6

## 16 Other Information

#### Date of Preparation or Last Revision: 17.05.2019

Prepared by: MSDS.COM.AU Pty Ltd

#### Abbreviations and acronyms:

ADG: Australian Dangerous Goods IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society) LC<sub>50</sub>: Lethal concentration, 50 percent ID<sub>50</sub>: Lethal dose, 50 percent IARC: International Agency for Research on Cancer STEL: Short Term Exposure Limit TWA: Time Weighted Average NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants) Acute Toxicity (Oral) 4: Acute toxicity – Category 4 Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2 Serious Eye Damage/Irritation 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

#### Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this material safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Clark Rubber makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

www.msds.com.au